

TrackMan Golf

Multi Group Report

Dan Plan

Nov 19, 2013


Clubs: **7i, Driver**

Balls: **Hard, Limited Distance Hard**

In this report

Dispersion	01
Trajectory	02
Averages	03
Shot Details	04-05


Dispersion



Trajectory

Dan Plan | Nov 19, 2013

02



Averages

Dan Plan | Nov 19, 2013

03

	CLUB SPEED	ATTACK ANG.	SPIN RATE	CLUB PATH	FACE ANG.	FACE TO PATH	SWING DIR.	DYN. LOFT	LAUNCH ANG.	SPIN AXIS	SWING PL.	BALL SPEED	SMASH FAC.	HEIGHT	CARRY	TOTAL	SIDE	SIDE TOT.	LAND. ANG.
	mph	deg	rpm	deg	deg	deg	deg	deg	deg	deg	deg	mph		ft	yds	yds	ft	ft	deg
Driver, Limited Distance Hard	103.9	-1.8	3200	-3.7	0.4	4.1	-2.2	12.0	9.9	3.4	46.9	141.4	1.36	80.5	183.9	197.8	13.2R	17.8R	45.4
7i, Hard	85.5	-6.1	5099	-4.7	-0.2	4.1	0.5	19.4	15.1	1.0	54.1	114.7	1.34	83.4	145.8	152.1	0.1L	0.7R	49.5

Shot Details

Dan Plan | Nov 19, 2013

04

Driver, Limited Distance Hard

STROKE NO	CLUB SPEED mph	ATTACK ANG. deg	SPIN RATE rpm	CLUB PATH deg	FACE ANG. deg	FACE TO PATH deg	SWING DIR. deg	DYN. LOFT deg	LAUNCH ANG. deg	SPIN AXIS deg	SWING PL. deg	BALL SPEED mph	SMASH FAC.	HEIGHT ft	CARRY yds	TOTAL yds	SIDE ft	SIDE TOT. ft	LAND. ANG. deg
1	102.7	-3.6	1717	-5.1	2.9	8.0	-1.7	7.0	6.0	21.2	47.1	138.8	1.35	8.1	86.4	149.6	23.6R	46.2R	8.6
2	102.6	-2.6	3690	-4.2	-4.2	0.0	-1.8	12.9	10.3	-8.8	46.5	140.0	1.37	89.4	180.1	188.0	97.5L	103.8L	53.2
3	101.9	-2.4	2558	-0.5	-1.0	-0.4	1.7	11.1	9.3	-1.9	47.5	142.8	1.40	67.8	190.2	206.0	28.8L	33.0L	40.8
4	100.4	-3.0	4043	-2.5	3.3	5.8	0.2	8.8	6.1	-6.9	47.8	133.6	1.33	65.6	174.6	185.0	26.0L	30.0L	43.3
5	103.3	-1.4	2937	-2.3	-1.5	0.9	-0.9	12.2	10.1	-1.1	45.5	144.3	1.40	82.3	199.4	210.9	19.0L	19.3L	45.8
6	104.4	-0.8	2199	1.7	5.7	4.0	2.4	11.8	10.3	15.8	47.7	143.6	1.38	69.5	206.9	227.2	165.0R	187.4R	36.5
7	101.6	-0.6	2847	-11.3	-4.0	7.2	-10.7	12.8	11.0	7.5	46.1	140.2	1.38	97.6	188.2	197.2	3.5R	6.9R	50.4
8	102.6	-1.7	2168	-1.6	-1.6	0.0	0.0	11.7	10.2	7.5	46.7	147.1	1.43	60.1	198.3	223.6	31.9R	43.6R	32.3
9	106.1	-1.1	3223	0.0	2.7	2.7	1.0	11.8	9.6	2.8	47.1	146.8	1.38	101.2	187.8	194.8	42.4R	44.5R	53.0
10	104.9	-2.6	3833	0.0	-3.1	-3.1	2.6	13.3	10.7	-8.6	46.3	142.2	1.36	98.5	186.8	193.1	91.2L	96.3L	55.3
11	105.0	-3.7	3059	-4.5	1.3	5.8	-1.0	9.1	7.2	3.1	47.0	148.6	1.41	78.2	195.7	205.2	23.7R	26.1R	47.6
12	105.5	-2.7	4239	-2.5	4.3	6.8	-0.1	10.8	8.1	-5.5	48.3	140.0	1.33	86.4	180.7	186.9	15.2L	17.2L	51.2
13	105.0	0.6	3012	-2.9	1.7	4.6	-3.5	10.7	8.8	15.0	46.2	145.9	1.39	74.6	199.2	213.5	126.8R	144.8R	45.5
14	105.2	-0.1	2544	-7.0	1.7	8.6	-6.8	14.4	12.8	5.1	46.2	140.1	1.33	87.0	194.9	206.4	50.1R	56.7R	46.9
15	104.1	-1.4	2435	-4.1	1.3	5.4	-2.8	17.5	15.9	-2.3	47.3	144.7	1.39	105.3	203.4	214.7	3.7L	4.1L	49.0
16	103.3	2.3	2329	-9.1	-0.9	8.2	-11.1	11.2	10.1	22.9	48.4	144.3	1.40	72.2	200.5	219.2	117.4R	136.4R	37.9
17	103.6	---	5347	---	-0.1	---	-4.3	25.9	21.2	7.2	46.0	115.1	1.11	117.9	138.2	139.7	46.6R	47.8R	60.6
18	105.5	-3.1	3786	-8.2	-4.9	3.2	-5.1	12.7	10.1	-5.6	45.2	145.4	1.38	106.7	199.2	204.9	104.6L	108.7L	56.6
19	104.7	-4.0	3540	-3.0	6.6	9.6	0.5	4.5	2.8	6.4	49.0	139.3	1.33	45.9	179.7	196.0	85.6R	97.7R	37.8
20	105.9	-1.8	4498	-3.2	-1.8	1.4	-1.5	10.7	7.6	-5.0	45.8	144.2	1.36	96.6	188.7	193.8	66.3L	69.0L	55.9
Average	103.9	-1.8	3200	-3.7	0.4	4.1	-2.2	12.0	9.9	3.4	46.9	141.4	1.36	80.5	183.9	197.8	13.2R	17.8R	45.4
Consistency	1.5	1.6	891	3.2	3.2	3.5	3.8	4.1	3.7	9.4	1.0	6.9	0.06	24.1	26.6	21.3	72.4R	80.4R	11.2

Shot Details

Dan Plan | Nov 19, 2013

05

7i, Hard

STROKE NO	CLUB SPEED mph	ATTACK ANG. deg	SPIN RATE rpm	CLUB PATH deg	FACE ANG. deg	FACE TO PATH deg	SWING DIR. deg	DYN. LOFT deg	LAUNCH ANG. deg	SPIN AXIS deg	SWING PL. deg	BALL SPEED mph	SMASH FAC.	HEIGHT ft	CARRY yds	TOTAL yds	SIDE ft	SIDE TOT. ft	LAND. ANG. deg
1	86.9	-4.3	5544	-9.8	-2.1	7.7	-6.5	17.9	13.5	11.2	52.2	119.0	1.37	92.8	145.0	148.3	45.6R	48.8R	54.2
2	86.8	-5.5	6428	-7.5	-1.7	5.8	-3.4	20.2	14.8	3.4	53.1	117.0	1.35	89.6	142.3	145.4	1.7R	2.5R	52.2
3	85.6	-6.0	6250	-3.5	-1.0	2.5	1.2	22.7	17.3	-1.1	51.9	116.4	1.36	98.9	146.7	150.1	16.8L	17.1L	52.6
4	88.2	-5.0	6083	-8.5	-6.7	1.8	-4.6	22.1	16.9	-5.6	52.4	117.6	1.33	100.9	140.0	141.6	81.3L	82.2L	58.0
5	78.8	---	4020	---	4.4	---	10.5	20.2	16.4	-4.0	57.5	108.4	1.38	77.5	141.0	148.8	14.0R	13.5R	48.3
6	88.0	-5.7	5718	-10.0	-2.8	7.2	-5.7	17.8	13.2	5.7	53.0	119.7	1.36	81.5	154.3	160.6	0.6R	2.6R	47.3
7	82.3	-6.5	4225	-2.7	3.4	6.0	2.0	15.2	11.5	8.1	54.8	112.1	1.36	55.4	146.5	159.3	50.5R	57.5R	39.0
8	86.4	-5.5	5021	-5.9	-3.5	2.4	-1.3	21.1	16.7	-1.1	50.4	114.4	1.32	93.8	145.0	149.9	36.1L	37.2L	52.4
9	85.8	-5.4	6646	-7.6	-2.0	5.6	-3.4	19.8	14.2	1.2	52.7	115.9	1.35	85.2	143.7	146.9	16.5L	16.4L	51.4
10	86.1	-5.8	5344	-6.1	-1.4	4.7	-1.7	22.0	17.4	1.0	53.0	115.4	1.34	98.7	140.6	144.2	6.8L	6.3L	54.6
11	77.2	-8.2	3887	3.6	2.9	-0.6	8.8	18.6	15.0	-8.9	57.5	109.1	1.41	69.1	141.8	151.4	18.6L	22.6L	45.0
12	85.2	-8.1	4992	-3.4	1.6	5.0	1.8	17.6	13.4	-0.3	57.5	116.2	1.36	78.9	148.9	154.6	3.9R	4.0R	50.0
13	89.4	-6.7	4077	-1.9	2.8	4.7	2.5	17.7	14.0	0.9	56.2	109.1	1.22	66.0	142.0	151.9	21.2R	23.4R	44.2
14	86.7	-6.9	4945	-0.9	3.0	4.0	3.6	19.6	15.4	2.7	56.6	118.1	1.36	91.9	151.9	157.8	34.0R	35.9R	50.7
15	89.0	-6.4	3308	-1.3	-0.5	0.8	3.5	19.2	16.2	1.4	53.3	112.4	1.26	70.7	157.5	170.2	2.8R	4.1R	42.4
Average	85.5	-6.1	5099	-4.7	-0.2	4.1	0.5	19.4	15.1	1.0	54.1	114.7	1.34	83.4	145.8	152.1	0.1L	0.7R	49.5
Consistency	3.4	1.1	993	3.8	3.0	2.3	4.8	2.0	1.7	4.9	2.3	3.6	0.04	13.2	5.1	7.2	32.0R	33.7R	4.9